Superior Labral Repair

Dr. Mark McCarthy

Chippewa Valley Orthopedics & Sports Medicine

1200 OakLeaf Way, Suite A 757 Lakeland Drive, Suite B Altoona, WI 54720 Chippewa Falls, WI 54729

Patient		
DOS		

	POW 0-2	POW 2-4	POW 4-8	POW 8-12	POW 12-20
ROM	Active/Active assisted stretch: ER 45° Flexion 140° IR as tolerated		ER/IR Full as tolerated Increase Flexion as tolerated	Full AROM without discomfort	Full and pain free
Sling	Immobilized at all times day and night Off for hygiene and gentle home exercises only	Worn during daytime only	None		
Exercises	Wrist AROM Grip Strengthening	Continue with previous Isometric Flex/Ext	Gentle Joint Mobilizations Prone Extension	Advance weights UBE	Begin functional progression to return to previous activity level
Revised January 2022	Isometric Abduction Isometric IR/ER with elbow at side Table Flexion Swiss Ball Roll Supine wand ER Standing wand Flex, IR/ER	Table weight shifts Active Supine Flexion	Prone Rows Rhythmic Stabilizations Serratus Punches Sidelying ER	Tubing IR/ER Tubing Rows Tubing Extension Bicep Curls* Standing "I", "Y", "T" *Outdoor running, planks, push ups at 10 weeks	Begin interval throwing program at 16 weeks May return to weight room at 3 months if appropriate Return to competitive sports by 5 months if MD approved

^{*6-8} weeks is required for healing of the biceps labrum, therefore, avoid activities that stress the repair (i.e. active biceps exercises, forceful extension, etc)

Any Questions? Please contact:

Northwoods Therapy Associates

Altoona, WI (715) 839-9266/ Chippewa Falls, WI (715) 723-5060